



## CPT AND ICD-9 CODES RELATED TO TOBACCO CESSATION

**CPT CODES:** Remember this is a code that describes the visit or procedure(s) that you provided. It reflects your evaluation and management. Payment is usually solely based on these codes and differs between insurance plans. You must check with the insurance plans you work with to find out what they pay.

- **99406:** Smoking and tobacco-use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes.
  - Short descriptor: Smoke/tobacco counseling 3-10
- **99407:** Smoking and tobacco-use cessation counseling visit; intensive, greater than 10 minutes
  - Short descriptor: Smoke/tobacco counseling greater than 10

**ICD-9 CODES:** Remember these are diagnosis codes. Payment is usually not received for marking these codes. However it will provide the payers with valuable information that may in the future affect change or encourage payer based programs.

- **305.1:** Tobacco abuse (affecting health) or dependence
- **649.0:** Tobacco use disorder complicating pregnancy, childbirth or the puerperium
- **Medically related codes affected by tobacco use**
  - 493.00: Asthma
  - 493.02: Asthma exacerbation
  - 786.07: Wheezing
  - 462: Pharyngitis
  - 312.9: Behavior problems
  - 786.50: Chest pain
  - 473.9: Chronic sinusitis
  - 461.9: Sinusitis, acute
  - 780.4: Dizziness
  - 530.81: Gastroesophageal reflux
  - 346.00: Headache, Migraine
  - 784: Headache, other
  - 401.9: Hypertension
  - 785.1: Palpitation
  - V61.20: Psychosocial problem
  - V62.3: School problems
  - 780.50: Sleep problem
  - 465.9: URI, acute
  - 786.05: SOB, Resp distress
  - 783.21: Weight loss
  - 311: Depression
  - 314.01: ADHD
  - 296.90: Mood disorder
  - 786.2: Cough
  - 477.9: Allergic rhinitis